

8.1 Vertical Angles, etc.

Linear Pair, Complementary Angles, Angle Bisectors

Standard:

G.CO.9



Old Angles

Let's recall the different types of angles.

a Acute Angles

has an angle measuring between 0° and 90° .


b Right Angles

has an angle measuring exactly 90° .


c Obtuse Angles

has an angle measuring between 90° and 180° .

Also, let's recall the notation of angles.



$\angle X$ ← angle X.




- $\angle KXL$ ← top angle X
- $\angle LXC$ ← right angle X

New Complementary & Supplementary Angles

Complementary Angles


Pairs of angles that sum to 90° .

(Example)




Supplementary Angles

Pairs of angles that sum of 180° .



- straight line angle adds up to 180°
- linear pair is 60° & 120° .

Angle Bisector: A ray (or line or segment) that divides an angle into 2 congruent angles (2 angles with equal measures).




• \overrightarrow{XA} is an angle bisector


$$\angle KXA \cong \angle AXL \text{ so } m\angle KXA = m\angle AXL.$$

[Examples] Answer the following.

(1) Find the angle.



(3) Find the angle.




$$5x + 2 + 2x + 4 = 90^\circ \quad 5(12) + 2 = 62^\circ$$

$$5x + 2x + 2 + 4 = 90^\circ \quad 2(12) + 4 = 28^\circ$$


$$\begin{aligned} 7x + 6 &= 90^\circ \\ -6 &= -6 \\ 7x &= 84 \\ 7 &= 7 \\ x &= 12 \end{aligned}$$

(2) Find the angle.



$$\begin{aligned} y + 35^\circ &= 180^\circ \\ y &= 145^\circ \end{aligned}$$

(4) Find the angle.



$$5x + 2 + 2x + 3 = 180^\circ$$

$$5x + 2x + 2 + 3 = 180^\circ$$

$$7x + 3 = 180^\circ$$

$$-6 = -6$$

$$\begin{array}{r} 7x = 175 \\ \hline 7 \end{array}$$


$$x = 25$$

$$5(25) + 2 = 127$$

$$2(25) + 3 = 53$$


[Examples] Find the missing angles.

(5) \overrightarrow{XA} is an angle bisector.



$$x = 70^\circ$$

(6) \overrightarrow{XA} is an angle bisector.




$$\begin{aligned} 2x + 8 &= 4x + 2 \\ -8 &= -8 \\ 2x &= 4x - 6 \\ -4x &= -4x \\ -2x &= -6 \\ -2 &= -2 \\ x &= 3 \end{aligned}$$

$$2(3) + 8 = 14^\circ$$

$$\begin{aligned} \angle KXA &= 14^\circ \\ \angle AXL &= 14^\circ \end{aligned}$$

Vertical Angles

Let's consider the below diagram.



$$\angle KXL = a^\circ$$

$$\angle KXA = b^\circ$$

Find the missing angles.

Since a & b are a linear pair, they are to 180° ($a+b=180^\circ$).

What about $\angle AXc$ & $\angle LXC$?

$\angle AXc$ is a linear pair to $\angle KXA$.


$$\text{So, } \angle AXc + b = 180^\circ \quad (a = 180 - b)$$

$$\text{Therefore, } \angle AXc = a.$$

$\angle LXC$ is a linear pair to $\angle KXL$.

$$\text{So, } \angle LXC + a = \angle KXL.$$


$$\text{Therefore, } \angle LXC = b.$$




Vertical angles
(or opposite angles)
are congruent.

[Example] Find missing angles.

Given $\angle KXL = 30^\circ$.



$c = 30^\circ \rightarrow \angle KXL = \angle AXC$ are vertical angles.
 $b = 150^\circ \rightarrow \angle KXL + \angle LXC$ are linear pair
 $a = 150^\circ \rightarrow \angle KXL + \angle KXA$ are linear pair
or $\angle KXA = \angle LXC$ are vertical angles.



Given $\angle KXL = 2x+8^\circ$ & $\angle AXC = 4x+2^\circ$

$$4x+2 = 2x+8$$

$$\begin{array}{r} -2 = -2 \\ \hline 4x = 2x+6 \end{array}$$

$$-2x = -2x$$

$$\begin{array}{r} 2x = 6 \\ \hline 2 \quad 2 \end{array}$$

$$x = 3.$$

$$\angle KXL = 14^\circ$$

$$\angle AXC = 14^\circ$$

$$\angle KXA = 166^\circ$$

$$\angle LXC = 166^\circ$$

$$2(3)+8 = 14^\circ$$